

**print** hpl  
high pressure laminates

h i g h p r e s s u r e l a m i n a t e s

# Walkprint

HPL for raised access floors



**ABET LAMINATI**

## WALKPRINT

### W2 (Flooring grade)

It is a decorative high pressure laminate (HPL) featuring a W2 class resistance to abrasion complying with EN 438 norm and AC2 classification, as well as with test method EN 13329 Annex E.

PRINT HPL WALKPRINT finds its ideal application in floors for which high surface wear is necessary.

Both the surface decor and the kraft sheets are impregnated with thermohardening resins, and subjected to the combined actions of high pressure (9 Mpa) and high


temperature in special presses in which resinous polycondensation takes place. The surface of PRINT HPL WALKPRINT is non-toxic, chemically inert and non-allergenic.

Its most important features include:

- special antistatic properties
- excellent resistance to wear and tear
- excellent resistance to scratching
- excellent resistance to impact

- excellent resistance to damp
- particular resistance to chemical products and cleaning agents, including organic solvents
- easy to clean
- good dimensional stability
- excellent resistance to high temperatures, including those of cigarette burns
- excellent reaction to fire with low fume-generation.






## TECHNICAL DATA

Characteristics	Test method	Units/method of measurement	Results
Density to abrasion	DIN 53479	Kg/m	1430 ± 30
Resistance to abrasion	EN 438-2.6	initial point	≥ 4.000 W2 class
	EN 13329 Annex E	(IP) revolutions	≥ 1800 AC 2 class
Resistance to dry heat (180° C)	EN 438-2.8	appearance grade	≥ 4
Dimensional stability at 20° C	EN 438-2.10	dimensional variation %	L = 0,30 approx T = 0,55 approx
Resistance to impact by small diameter sphere	EN 438-2.11	impact force N	≥ 20
Resistance to fissuring	EN 438-2.13	appearance grade	≥ 4
Resistance to scratching	EN 438-2.14	load applied N	≥ 3
Resistance to stains and cleaning agents	EN 438-2.15 f	appearance grade group 1-2	= 5
		group 3-4	≥ 4
Consistency of colours under xenon arc-light	EN 438-2.16	wool scale	≥ 6
		grey scale	≥ 4
Resistance to cigarette burns	EN 438-2.18	appearance grade	≥ 4
Resistance to static charge	DIN 51 955	appearance	no alteration
Static friction coefficient	ASTM C-1028	average friction coefficient	0,70
Coefficient of linear expansion	ASTM D-696	°C <sup>-1</sup>	2x10 <sup>-5</sup>
Heat conductivity	DIN 52 612	W/m • °K	0,25
Electrical resistance volume	NFPA 99	Ohm	WALKPRINT 1x10 <sup>8</sup> ÷ 1x10 <sup>11</sup> antistatic
			WALKPRINT DEST 1x10 <sup>6</sup> ÷ 1x10 <sup>7</sup> dissipative

## COMMERCIAL DATA

Decoratives	Dimensions	Thickness	Finish
304 - 306 - 307 - 308 - 309 - 310	280 x 130 cm	1,2 mm	SEI
575 - 576 - 577 - 854 - 1107 - 1117 - 1611 - 1672 - 1673 - 270 - 272 - 273 - 277 - 278 - 279	305 x 130 cm	1,2 mm	SEI
567 - 577	367 x 123 cm	1,2 mm	SEI




## AREAS OF APPLICATION

**Print HPL Walkprint** finds its best use in the construction of raised access floors. These floors are made up of tiles mounted on a framework/structure the elevation of whose legs provide enough sub-floor space for the laying of

every type of cable (telephone-cable, electric cable etc.). The constituent tile of this type of flooring can be easily removed, so as to allow ready inspection or access for maintenance purposes.

The Print HPL Walkprint tiles are applied directly on to a support (generally of wooden or mineral fibre) with a thickness of 25-30 mm.

### PRINT HPL WALKPRINT




### PRINT HPL WALKPRINT DEST

**Print HPL Walkprint Dest** has been specially created for those workplace access-floors housing electrical circuits and electronic equipment, and which

therefore require a higher degree of diffusion of potentially damaging electrostatic charges. To allow Print HPL Walkprint Dest to fulfil its diffusing

function, it must be used with electrically compatible elements.



F1

On request, both Print HPL Walkprint and Print HPL Walkprint Dest can be produced in their **F1 Flame-retardant** versions. In such cases, their manufacturing specifications are as follows:

WALKPRINT F1	Class 1	Interior Ministry Approval Approval No. CN CN267B11CD100012
WALKPRINT F1	M 1	LNE (National Experimental Laboratory, France) Classification No. 3120470-DMAT/1
WALKPRINT DEST F1	M 1	LNE (National Experimental Laboratory, France) Classification No. 3120470-DMAT/2

# COLOURS AND DECORS

SCALE 1:1



575




576



577



854



270



273



277



278



279



1107



1117



272



1611



1672



1673



304



306



307



308




309



310

Decors 304-306-307  
QUADROTTE FAGGIO,  
308-309-310 QUADROTTE  
CILIEGIO are made on  
sheets in size 280 x 130  
cms. by squared printed  
tiles as reported on the  
enclosed photo.  
(decor in scale 1:10)



**ITALY****ABET LAMINATI Filiale**

Via Cogne 42 - 10155 TORINO  
Tel. 011 / 266090 Fax 011 / 202946  
e-mail: to01@abet-laminati.it

**ABET LAMINATI Filiale**

Viale Brianza 6 - 20092 Cinisello Balsamo (MI)  
Tel. 02 / 6124851 Fax 02 / 6170379  
e-mail: mi01@abet-laminati.it

**ABET LAMINATI Filiale**

Via Galvani 2 - 35030 Rubano (PD)  
Tel. 049 / 631777 Fax 049 / 8975298  
e-mail: pd01@abet-laminati.it

**ABET LAMINATI Filiale**

Via del Cantone 66 - 50019 Sesto Fiorentino (FI)  
Tel. 055 / 316551 Fax 055 / 318553  
e-mail: fi01@abet-laminati.it

**ABET LAMINATI Filiale**

Via Bruno Buozzi 12 Loc. Corte Tegge - 42025 CAVRIAGO (RE)  
Tel. 0522 / 942434 Fax 0522 / 942436  
e-mail: re01@abet-laminati.it

**ABET LAMINATI Filiale**

Via Toscana 91 - Villa S. Martino 61100 PESARO  
Tel. 0721 / 453405 Fax 0721 / 453936  
e-mail: ps01@abet-laminati.it

**ABET LAMINATI Filiale**

Via Stefano della Bella 5/7 - Loc. Giardinetti - 00133 ROMA  
Tel. 06 / 2020074 Fax 06 / 2040478  
e-mail: rm01@abet-laminati.it

**AUSTRALIA ABET Pty Limited**

11-13 Smoothy Place Arndell Park NSW 2148  
P.O. Box 663, Blacktown NSW 2148  
Phone 02 / 96727300 Fax 02 / 96727303  
Free Call 1800 / 263950 e-mail: info@abet.com.au

**FRANCE PRINT FRANCE sarl Gruppo ABET**

Siège social et bureau de vente  
BP 9154 108, Av. Aristide Bergès Z.I.  
73091 CHAMBERY cedex 9  
Phone 04 79621326 Fax 04 79622044  
e-mail: stratifies@print-france.fr

**PRINT FRANCE sarl Gruppo ABET**

Bureau Promotionnel: 12, Rue d'Armenonville  
F-92200 NEUILLY-sur-SEINE  
Phone 01 / 47452310 Fax 01 / 40883781  
e-mail: showroom@print-france.fr

**GERMANY ABET GmbH**

Füllenbruchstrasse 189-32051 HERFORD  
Phone 05221 / 3477-0 Fax 05221 / 33196  
e-mail: abetde@t-online.de

**HOLLAND ABET B.V.**

Lagedijk 4 - 3401 RG IJSSELSTEIN  
Phone 030 / 6868450 Fax 030 / 6888204  
e-mail: verkoop@abet.nl www.abet.nl  
Promotion Office 030 / 6868452 e-mail: promotie@abet.nl

**POLAND ABET Sp.zo.o.**

Ul. Mokotowska 46.1 00543 WARSAW  
Phone 22 / 6225532 Fax 22 / 6228542  
e-mail: abet@abet-spzoo.com.pl www.abet-spzoo.com.pl

**SPAIN ABET LAMINATI S.A.**

Poligono Industrial Pla d'en Coll C/ Segre, n° 8-10  
08110 - Montcada i Reixac BARCELONA  
Phone 93.575.41.97 Fax 93.575.41.99  
e-mail: barcelona.abet@retemail.es  
Delegación Norte - Ribera de Deusto, 6 - 48014 BILBAO  
Phone 94.476.09.31 Fax 94.476.31.55  
e-mail: bilbao.abet@retemail.es

**SWITZERLAND ABET AG**

Oberfeld 9 - CH-6037 ROOT/LU  
Phone 041 / 4556030 Fax 041 / 4556033  
e-mail: abet@abet.ch www.abet.ch

**UNITED KINGDOM ABET LIMITED**

70 Roding Road, London Industrial Park LONDON E6 4LS  
Phone +44.20.74736910 Fax +44.20.74766935  
e-mail: sales@abet.ltd.uk www.abet-ltd.co.uk

**U.S.A.**

ABET Inc. 60 West Sheffield Avenue ENGLEWOOD, NJ 07631  
Phone 800/228/2238 - 201/541/0700 Fax 201/541/0701  
e-mail: abetusa@aol.com www.abet-laminati.com

ABET Inc. 7307-H Edgewater Drive OAKLAND, CA 94621  
Phone 510/5671400 Fax 510/5671404  
Toll Free 800/228/2238

ABET Inc. 1043-B S. Melrose Street ANAHEIM, CA 92870  
Phone 714/238/7880 Fax 714/238/7884  
Toll Free 800/228/2238

ABET Inc. 2740 West Grand Avenue CHICAGO, IL 60612  
Phone 773/292/1600 Fax 773/292/1619  
Toll Free 800/228/2238

ABET Inc.  
3033 North West 25 th Ave., Bay 9 POMPANO BEACH, FL 33069  
Phone 9549354755 Fax 9549354711 Toll Free 800/228/2238

**CANADA ABET Corporation**

50 Paxman Road, Unit 10-11 - Toronto ONTARIO, M9C 1B7  
Phone 416-620-6556 800-228-2238 Fax 416-620-5330

**BELGIUM ABET B.V.**

Promotion Office Koning Albert I Laan, 48 - 1780 WEMMEL  
Phone 02 / 4601910 Fax 02 / 4603337  
e-mail: promotion-office@abet.be

**DENMARK-NORWAY-SWEDEN ABET LAMINATI**

Representative Office International House Center Boulevard  
DK 2300 KOBENHAVN S  
Phone 45 / 32473167 Fax 45 / 32473166  
e-mail: abet@abet-laminati.dk

**CHINA ABET LAMINATI**

China Shenzhen Representative Office  
Unit C, 17/F., Hangdu Building, Huafu Road,  
Futian District, SHENZHEN  
Phone 0755 / 379 0055 - 379 0056  
Fax 0755 / 379 0213 Postcode 518031  
e-mail: abetsz@public.szptt.net.cn

**MAIN SOLE DISTRIBUTORS****BRAZIL RAMUTH & RAMUTH**

Rua Dinamarca 69/49 F. S.ta Terezinha  
CEP 12231 200 SÃO JOSÉ DOS CAMPOS  
Phone 011 30 641516 Fax 011 30 812079  
e-mail: abet@unisys.com.br

**CZECH REPUBLIC RETA**

P.O. Box 2 - 53012 PARDUBICE  
Phone 40 6670689 Fax 40 6670938  
e-mail: reta@pce.cz www.reta.cz

**FINLAND OY LORE AB**

Linnankoskenkatu 11 - 00250 HELSINKI  
Phone 00358 9 440505 Fax 00358 9 445056  
e-mail: info@lore.fi

**HONG KONG DIAMOND CHEMICAL IND.**

Unit A, 2/F - Wing Hong Centre - 18 Wing Hong Street  
Cheung Sha Wan, KOWLOON  
Phone 2396 3280 Fax 2789 9708  
e-mail: mphphse@netvigator.com

**PORTUGAL PINTO LEITAO SA**

Av. Fontes Pereira de Melo 242 - Apto 11245 - 4104 PORTO  
Phone 02 6105782 / 5 Fax 02 6178296

**RUSSIA JSC SLOTEX**

Highway of Revolution, 84 - SAINT PETERSBURG  
Phone 812 529 22 75 Fax 812 529 22 71  
e-mail: slotex@infopro.spb.su

**SINGAPORE-MALAYSIA-BORNEO-INDONESIA**

LAM CHUAN IMPORT EXPORT PTE LTD  
12 Sungei Kadut Way - SINGAPORE 728778  
Phone 368 6669 Fax 368 6665

**TURKEY ALPAY ORMAN URUNLERI VE TICARET A.S.**

Keresteciler Sitesi - 3. Ada. 2.Sokak n° 11 - Ikitelli ISTANBUL  
Phone 212 6700370 Fax 212 6700369  
e-mail: alpay@alpayorman.com www.alpayorman.com

**VENEZUELA LAMINATI DE VENEZUELA**

Carretera Petare-Sta Lucia Km 1  
Entrada Arpiga, Edif. F4, Local 1, P.B., MARICHE  
(al lado de depositos Central Madeirense)  
Phone 0058.212.290.00 39/01 70/01 83  
Fax 0058.212.290.00 70  
e-mail: laminati@telcel.net.ve

**AGENTS IN OVER 80 COUNTRIES WORLDWIDE****ABET LAMINATI****ABET LAMINATI spa**

Viale Industria 21 - 12042 BRA (Italy)  
Tel. +39 0172 419.111 - Telegr. ABET-BRA  
Telefax +39 0172 431571 - 419523 - 419524  
http://www.abet-laminati.it/  
e-mail: abet@abet-laminati.it